



Doc

PTO/SB/21 (09-04)

Approved for use through 07/31/2006. OMB 0651-0031  
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

**TRANSMITTAL  
FORM**

(to be used for all correspondence after initial filing)

Total Number of Pages in This Submission

Application Number 10/613,332

Filing Date July 3, 2003

First Named Inventor Jeong S. Lee

Art Unit 3763

Examiner Name Mark K. Han

Attorney Docket Number ACSC 64915 (1619C)

**ENCLOSURES (Check all that apply)**☐ Fee Transmittal Form☐ Fee Attached☐ Amendment / Reply☐ After Final☐ Affidavits/declaration(s)☐ Extension of Time Request☐ Express Abandonment Request☐ Information Disclosure Statement☐ Certified Copy of Priority Document(s)☐ Response to Missing Parts/ Incomplete Application☐ Reply to Missing Parts under 37 CFR 1.52 or 1.53☐ Drawing(s)☐ Licensing-related Papers☐ Petition☐ Petition to Convert to a Provisional Application☐ Power of Attorney, Revocation Change of Correspondence Address☐ Terminal Disclaimer☐ Request for Refund☐ CD, Number of CD(s) \_\_\_\_\_☐ Landscape Table on CD☐ After Allowance Communication to TC☐ Appeal Communication to Board of Appeals and Interferences☐ Appeal Communication to TC (Appeal Notice, Brief, Reply Brief)☐ Proprietary Information☐ Status Letter☒ Other Enclosure(s) (please identify below):Request for Cert of Correction  
\$100.00 Check  
Postcard

Remarks

CUSTOMER 24201

**Certificate  
SEP 11 2006  
of Correction****SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT**

Firm Name FULWIDER PATTON LLP

Signature

Printed name GUNTHER O. HANKE

Date AUGUST 29, 2006

Reg. No. 32,989

**CERTIFICATE OF TRANSMISSION/MAILING**

I hereby certify that this correspondence is being facsimile transmitted to the USPTO or deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the

Signature

Typed or printed name GUNTHER O. HANKE

Date AUGUST 29, 2006

This collection of information is required by 37 CFR 1.5. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending on the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

**SEP 12 2006**



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the application of

JEONG S. LEE ET AL.

Patent No.: 7,074,206 B2

Issued: July 11, 2006

Serial No: 10/613,332

Filed: July 3, 2003

For: MEDICAL DEVICE BALLOON

Examiner: Mark K. Han

Group Art Unit: 3763

Client ID/Matter No: ACSC 64915 (1619C)

August 29, 2006

Los Angeles, California 90045

REQUEST FOR CERTIFICATE OF CORRECTION FOR  
APPLICANT'S MISTAKE

Certificate of Corrections Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

It is noted that errors appear in the above-identified patent of a typographical nature, as more fully described below.

ERROR

Column 4, line 44, delete "diatometer" and insert --diameter--.

Column 6, lines 31 and 37, delete "nozzel" and insert --nozzle--.

09/07/2006 EAYALEW1 00000028 7074206

01 FC:1811

100.00 0P

SEP 12 2006

Column 7, line 23, delete "nozzel" and insert --nozzle--.

Column 10, line 16, delete " a mide" and insert --amide--.

These errors occurred in good faith. Since correction thereof does not involve such changes in the patent as would constitute new matter or would require re-examination, it is requested that this Certificate of Correction be issued and returned to us. Attached is a check in the amount of \$100.00 to cover the necessary fees. If any additional fees are needed, please charge Deposit Account No. 06-2425.


Attached hereto, in duplicate, is Form PTO-1050, with at least one copy being suitable for printing.

A duplicate of this document is attached.

Respectfully submitted,

FULWIDER PATTON LLP

By:

  
\_\_\_\_\_  
Gunther O. Hanke  
Registration No. 32,989

GOH:ck

Howard Hughes Center  
6060 Center Drive, Tenth Floor  
Los Angeles, CA 90045  
Telephone: (310) 824-5555  
Facsimile: (310) 824-9696  
Customer No. 24201

137671.1

Column 7, line 23, delete "nozzel" and insert --nozzle--.

Column 10, line 16, delete " a mide" and insert --amide--.


These errors occurred in good faith. Since correction thereof does not involve such changes in the patent as would constitute new matter or would require re-examination, it is requested that this Certificate of Correction be issued and returned to us. Attached is a check in the amount of \$100.00 to cover the necessary fees. If any additional fees are needed, please charge Deposit Account No. 06-2425.

Attached hereto, in duplicate, is Form PTO-1050, with at least one copy being suitable for printing.

A duplicate of this document is attached.

Respectfully submitted,

FULWIDER PATTON LLP

By:   
Gunther O. Hanke  
Registration No. 32,989

GOH:ck

Howard Hughes Center  
6060 Center Drive, Tenth Floor  
Los Angeles, CA 90045  
Telephone: (310) 824-5555  
Facsimile: (310) 824-9696  
Customer No. 24201

137671.1

SEP 12 2006

UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,074,206 B2  
APPLICATION NO.: 10/613,332  
ISSUE DATE : July 11, 2006  
INVENTOR(S) : Jeong S. Lee et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 4,  
Line 44, delete "diatometer" and insert --diameter--.

Column 6,  
Lines 31 and 37, delete "nozzel" and insert --nozzle--.

Column 7,  
Line 23, delete "nozzel" and insert --nozzle--.

Column 10,  
Line 16, delete " a mide" and insert --amide--.

MAILING ADDRESS OF SENDER:

**Gunther O. Hanke**  
**Fulwider Patton LLP**  
**6060 Center Drive, 10<sup>th</sup> Floor**  
**Los Angeles, CA 90045**

This collection of information is required by 37 CFR 1.322 and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing the burden, should be sent to the Chief of Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450 Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORM TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner of Patents P.O. Box 1450 Alexandria, VA 22313-1450

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

SEP 12 2006